10 Nov 1999

STATEMENT OF WORK (SOW)
for the
Restoration, Overhaul, and Repair (ROR)
of the
SET-15 Antenna-Transmitter Group
OE-442/TPS-59
NSN 5840-01-259-2908

SOW-00-844-2-09088A-1/1

- 1. This SOW identifies the work effort that shall be performed by the Contractor to perform ROR of the AN/TPS-59(V)3 SET-15 Antenna-Transmitter Group, OE-442/TPS-59, NSN 5840-01-259-2908, CAGE 03538, part number 7327847G3.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

LAWRENCE E HERNDON

Weapon Systems Manager

Radar Systems Section (Code 844-2)

MARCORSYSCOM, Albany, GA

JACK TORRENCE

Team Leader

Inventory Management Specialist

(Code 844-2)

MARCORSYSCOM, Albany, GA

RICHARD(E)ONES

Team Leader

**Equipment Specialist** 

(Code 844-2)

MARCORSYSCOM, Albany, GA

# TABLE OF CONTENTS

SECTION	PARAGRAPH	PAGE
1.0	Scope	1
2.0	Applicable Documents	2
2.1	Military Specifications	2
2.2	Military Standards	2
2.3	Other Government Documents and Publications	2
2.4	Industry Standards	3
3.0	Requirements	3
3.1	General Requirements	3
3.2	Specific Requirements	3-4
3.3	Configuration Management	5
3.4	Government Furnished Equipment and Material	5
3.5	Quality Assurance Provisions	5
4.0	Reports	5-6

STATEMENT OF WORK (SOW)
for the
Restoration, Overhaul, and Repair (ROR)
of the
SET-15 Antenna-Transmitter Group
OE-442/TPS-59
NSN 5840-01-259-2908

### 1.0 Scope

This SOW establishes both general and specific requirements to be followed by the Contractor for the ROR of the AN/TPS-59(V)3 SET-15 Antenna-Transmitter Group, OE-442/TPS-59, NSN 5840-01-259-2908, CAGE 03538, part number 7327847G3 (hereafter referred to simply as "SET-15").

Additional guidance may be provided by the Weapon System Manager (WSM), as well as other approved commercial/industry practices and standards. In the event of conflict between this SOW and other references, the requirements set forth in this SOW shall take precedence. Any conflicts shall be resolved at the discretion of the WSM.

#### 1.1 Definitions

- 1.1.1 Contractor: For the purposes of this SOW, Contractor is defined as a commercial or Government entity.
- 1.1.2 Condition Code "A": Condition Code "A" is defined, for the purposes of this SOW, as "serviceable and issuable without limitation or restriction".
- 1.1.3 Restoration: The process of upgrading an item to conform to the applicable technical specifications to assure compliance with specified operational capabilities, physical appearance, and configuration. It includes the repair or replacement of parts/components that have failed or are of marginal quality or reliability due to wear, deterioration, or damage and includes cosmetic reconditioning. Restoration shall include all applicable alignments and calibrations and verification that approved Engineering Change Proposals (ECPs) or modifications have been installed properly and are functional. In the event that non-approved configuration items are discovered, the equipment shall be restored to its approved configuration.
- 1.1.4 Overhaul: The process of totally restoring an item to a standard that approximates the original or new condition in appearance, performance, and life expectancy. For the purposes of this SOW, all approved ECPs and modifications shall be installed/verified as part of the overhaul work effort.

- 1.1.5 Repair: The process of returning an unserviceable item to full operational status by repair/replacement of its component parts and performing any alignments and calibrations as necessary. Cosmetic/structural repairs are not included in the repair process unless those repairs impede the operational functionality of the item.
- 1.1.6 Marginal quality: Deteriorated or damaged parts which are reasonably anticipated to fail thereby significantly reducing the expected reliability of an assembly or equipment. An expanded definition and associated requirements for replacement of parts and components adjudged to be of marginal quality is contained in MIL-STD-2110 (EC). Specific requirements of this SOW along with the general requirements as contained in MIL-STD-2110 (EC) shall be used to identify and necessitate the replacement of marginal quality items.

# 2.0 Applicable Documents

The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and Supplements thereto in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

## 2.1 Military Specifications

MIL-A-8625	Anodic Coatings for Aluminum and Aluminum Alloys
MIL-C-5541	Chemical Conversion Coatings on Aluminum and
	Aluminum Alloys
MIL-DTL-15024	Plates, Tags and Bands for Identification of Equipment,
	General Specification for

### 2.2 Military Standards

MIL-STD-129	DoD Standard Practice for Military Marking
MIL-STD-2110(EC)	Restoration, Overhaul, and Repair of Electronic Equipment

#### Military Standards (For Reference Only)

MIL-STD-973 Configuration Management

### 2.3 Other Government Documents and Publications.

7327847	Assembly Drawing, SET-15 Antenna-Transmitter
7327847G3	Parts List, SET-15 Antenna-Transmitter Assembly
77A561266	SET-15 Modification Kit (Instructions)

SL3-09088A	Components List, Antenna-Transmitter Group, SET-15
TM 4750-15/1	Painting and Registration Marking of Marine Corps
	Combat and Tactical Equipment
TM 4750-15/2-x	Painting and Registration Marking of Marine Corps
	Combat and Tactical Equipment (contains patterns)
TM-07751B-14/14	Technical Manual, Antenna-Transmitter Group,
	OF-442/TPS-59

## 2.4 Industry Standards

ANSI/ISO/ASQC Q9002-1994	Quality System Model for Quality Assurance in Production, Installation, and Servicing
SAE AMS-M-3171	Magnesium Alloy, Processes for Pretreatment and Prevention of Corrosion on

(Copies of military specifications and standards are available from the DoD Single Stock Point, Defense Automated Printing Service Philadelphia, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, telephone (215) 697-2179, DSN 442-2179. Copies of other government publications required by the Contractor in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, Albany, GA 31704-1128, telephone (912) 439-6761, DSN 567-6761. Copies of engineering drawings may be obtained from the Life Cycle Management Center, Attn: (Code 825-3), 814 Radford Boulevard Suite 20320, Albany, GA 31704-0320, telephone (912) 439-6410 or DSN 567-6410.)

### 3.0 Requirements

## 3.1 General Requirements

The Contractor shall provide all parts, materials, labor, facilities, tools, and test equipment necessary to restore, overhaul, and/or repair the SET-15 in accordance with the references and this SOW. Requests for additional guidance shall be referred to the WSM, telephone (912) 439-6553, DSN 567-6553, FAX (912) 439-5498, or MbMatcom@matcom.usmc.mil.

# 3.2 Specific Requirements

3.2.1 Receipt and Pre-induction: Upon receipt the Contractor shall perform a Pre-Induction Limited Technical Inspection; identifying any transportation related damages, equipment shortages, long lead-time material requirements, and the overall equipment condition. Any transportation related damages shall be reported immediately to the Comanding Officer, Marine Corps Logistics Base, Attn: Transportation Management Officer (PPTY, Bldg 30), Barstow, CA 92311-5014, telephone (760) 577-6994 or DSN 282-6994, and the WSM within five calendar

days. The WSM shall be informed of any equipment shortages in order to coordinate with the responsible unit for resolution. Identification of required long lead-time materials and the overall condition is intended to assist ROR management in the reduction of overall the ROR processing time.

#### 3.2.2 Induction for ROR

ROR of the SET-15 shall consist of the following mandatory tasks:

All corrosion shall be removed and the affected surfaces treated as necessary in accordance with MIL-A-8625, MIL-C-5541, and SAE AMS-M-3171, as applicable.

All hardware items and assemblies shall be stripped, repaired/replaced (as necessary), treated/primed, and camouflage painted (to the approximate the patterns for similar equipment as specified in TM-4750-15/x) utilizing chemical agent resistant coating (CARC) paint.

Electronic assemblies/subassemblies shall be overhauled to meet or exceed the individual/assembly test specifications as listed in paragraph 2.3 of this SOW. Overhaul, vice restoration or repair, is necessary due to the essentiality of SET-15 being fully operational and reliable in the event the AN/TPS-59(V)3 is deployed to a tactical environment.

All assemblies, subassemblies, and materiel shall conform to the configuration as specified in the drawings and parts lists listed in paragraph 2.3. Specific attention is directed towards drawing 77A561266. Any variance(s) must be authorized as specified in paragraph 3.3, below.

All stencils shall be repainted and data plates replaced in accordance with MIL-DTL-15024 and 77C726163P3.

Cable assemblies shall be restored to their original condition, in order to facilitate rapid emplacement of the SET-15 system and ensure operational reliability.

## 3.2.3 Preparation for Shipment

The Contractor shall be responsible for preservation and packaging of items to be delivered under the terms of this SOW. Preservation and packaging shall be limited to the minimum requirements for shipment to the receiving unit (to be designated by the WSM). Upon successful completion of the ROR, the equipment shall be packed in accordance with TM-07751B-14/14. No long term storage requirements exist for the SET-15.

Marking shall be in accordance with MIL-STD-129.

The Marine Corps will provide the Contractor with the shipping address(es) for delivery of the repaired equipment. The Contractor shall be responsible for arranging priority shipment (via air-ride, commercial ground transportation if within CONUS or Military Airlift Command if OCONUS).to the designated site(s). The Marine Corps will be responsible for all transportation costs associated with shipping the subject equipment to and from the Contractor.

## 3.3 Configuration Management

The contractor shall apply configuration control to established configuration items. Deviations from the established baseline configuration shall not be allowed without the express written approval of the WSM. The Contractor shall propose a suitable camouflage pattern to be used for the SET-15, using TM-4750-15/xx as a reference for development of an appropriate pattern. Recommendations for any other permanent changes to the form, fit or function of the baseline shall be submitted via an ECP. MIL-STD-973 (paragraph 5.4.2 and Appendix D) may be used as a guide. If necessary to temporarily depart from the baseline, the contractor shall prepare and submit a Request For Deviation or Request For Waiver (as applicable) using MIL-STD-973 (paragraph 5.4.3 or 5.4.4 and Appendix E) as a guide.

#### 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM)

The Management Control Activity (MCA/Code 820) will coordinate Government Furnished Equipment/Government Furnished Materiel (GFE/GFM) requests and maintain a central control system on all government owned assets in the contractor's possession. The MCA will forward a GFE/GFM Accountability Agreement to the contractor for signature to establish a chain of custody and identify property responsibilities for Marine Corps assets. The MCA, in conjunction with the WSM, reserve the right to deny any requests for GFE/GFM. Under no circumstances shall denial of such requests form a basis for either work stoppages or delays in delivery.

### 3.5 Quality Assurance Provisions

The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9002-1994, Quality System Model for Quality Assurance in Production, Installation, and Servicing.

# 4.0 Reports

4.1 The Contractor shall develop a Test Data Report (TDR) which portrays all test requirements/specifications (as collectively contained in the engineering drawings and technical manuals relative to the DPCG), referencing acceptable parameters, specific results obtained during the final diagnostic/integration testing, and general remarks. Additionally, the TDR shall reference this SOW, the NSN, part number, and serial number of the SET-15. Upon request, a copy of the TDR shall be submitted electronically (preferred), via regular mail, or facsimile, to

the WSM within 30 calendar days after completion of testing. Electronic address is: "MbMatcom844-2@matcom.usms.mil". Mailing address is: Commander, Attn: (Code 844-2), Marine Corps Systems Command, 814 Radford Bouilevard Suite 20343, Albany, GA 31704-0343. Facsimiles may be sent to: (912) 439-5498 or DSN 567-5498, Attn: Weapons System Manager, Code 844-2.

- 4.2 The Contractor shall provide a copy (either hard copy or electronic submittal is acceptable) of the Pre-Induction LTI to the WSM within 15 calendar days after completion of the inspection. The LTI (Contractor format) shall consist of the TDR and extract of SL3-09088A. Electronic address is: "MbMatcom844-2@matcom.usmc.mil". Mailing address is: Commander, Attn: (Code 844-2), Marine Corps Systems Command, 814 Radford Boulevard Suite 20343, Albany, GA 31704-0343. Facsimiles may be sent to: (912) 439-5498 or DSN 567-5498, Attn: Weapons System Manager, Code 844-2.
- 4.3 The Contractor shall provide a hard copy (with the signature of the unit's Commanding Officer or his designated representative) of the Joint Acceptance LTI to the WSM within 15 calendar days after completion of the inspection. The Joint Acceptance LTI shall be similar to the Pre-Induction LTI, with additional provisions for the signature and identifying information of the unit's authorized acceptance representative. Mailing address is: Commander, Attn: (Code 844-2), Marine Corps Systems Command, 814 Radford Boulevard Suite 20343, Albany, GA 31704-0343. Electronic copies of this report are not acceptable.

## **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (7071-0188), 1215 Jeffragon Davis Highway, Suita 1204, 44/1786jon, VA 2202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penelty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. Issted in Block E.

A. CONTRACT LINE	ITEM NO.	B. EXHIBI	T	C. CATEGO				×					
D. SYSTEM/ITEM			E. CONTRACT/PR		TM	F. CONTRA	LCTOR	^	_				
	enna Transmitter	Group	L. COM THACT	no.		T. COM THE	wiun						
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		1			3. SUBTITLE							
l		_											
A001		Reques	st For Waiver					guration Ma	nageme	ent			
4. AUTHORITY (Bata Acquis	sition Document No.) CMAN-80641B		5. CONTRACT REFEREN	NGE SOW 3	2 2		6. REQUIRIN	G OFFICE MCLB/	A /025\				
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUEN	CX		IRST SUBMISSI	ne			4 (823)				
LT	REQUIRED	I	ASREQ	4	EE BLK		14.	14. DISTRIBUTION b. COPIES					
8. APP CODE	-	11. AS OF DA		13. DATE OF S	UBSEQUENT		- - a.	ADDRESSEE			nal		
	A			SUBMISSI	<b>DN</b>				Draft	Reg	Reg Repro		
16. REMARKS	1	1		1 .			MCLB	A (825-2)	0	1	0		
Blk 4 - Contra	ctor format is au	horized.											
Blks 10 & 12 nonconforming	- RFWs shall be s g material which	submitted does not	to obtain auth	norization ed config	to delive uration	er			<u> </u>				
	reviewed and dis Government.												
	transmitted via l figmngmnt@mat												
Distribution S	tatement A: App	roved for	public release	e; distrib	ution is u	nlimited.							
											ļ		
1													
1													
							- /- <del>- 11</del>						
									-				
							-						
							15. TOTAL		0	1	0		
G. PREPARED BY			H. DATE	1. /	APPROVED B	Y	1 .		J. DAT	E	<u>1 U</u>		
	1 AUG 98 (FG)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		- 1	TION MAY BE	(C)	W	1	991	115	Pana		

## **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments reparding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defanse, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215-lefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwrithstanding any other prevision of law, no person shall be subject to any penalty for falling to complex with a collection of information if it does not display a currently valid OMB control number.

Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

D. SYSTEM/ITEM SET-15 Antenna Transmitter Group  1. DATA ITEM NO.  2. YITLE OF DATA ITEM  A 202  Request For Deviation  Configuration Management  4. AUIHURITY (Hate Acquisition Document No.)  5. CONTRACT/PR NO.  F. CONTRACTOR  TO. PRIC	A. CONTRACT LINE I	TEM NO.	B. EXHIBIT	Γ	C. CATEGORY:	*****		×				 
1. Data item no.   2. Title of data item   2. Subtitle		enna Transmitter	Group	E. CONTRACT/PR								
A. AUTHORITY (Ibida Acquisition Document No.) DI-CMAN-80640B SOW 3.3  7. DD 250 REQ LT REQUIRED ASREQ SEE BLK 16  8. APP CODE A 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION 16. REMARKS Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.  RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.  RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmntt@matcom.usmc.mil				l		3. SUBTITLE						17. PRICE GROU
A. AUTHORITY (Iblas Acquisition Document No.) DI-CMAN-80640B SOW 3.3  7. DD 250 REQ LT REQUIRED ASREQ SEE BLK 16  8. APP CODE A 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION 16. REMARKS Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.  RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.  RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil	7 202		D	E. B.			C					. ([
DI-CMAN-80640B  SOW 3.3  MCLBA (825)  7. DD 250 REQ LT  REQUIRED  ASREQ  10. FREQUENCY ASREQ  11. AS OF DATE  13. DATE of SUBSEQUENT SUBMISSION  14. DISTRIBUTION  ASRED  Draft  Final Required Req Regro Re	k		Request			<u></u>		-	nageme	:nt		44 FCT
7. DD 250 REQ LT REDUIRED 10. FREQUENCY ASREQ 12. DATE OF FIRST SUBMISSION SEE BLK 16  8. APP CODE A 11. AS OF DATE 13. DATE of SUBSEQUENT SUBMISSION SUBMISSION 14. DISTRIBUTION  16. REMARKS  Blk 4 - Contractor format is authorized.  Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.  RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.  RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil	· ·			5. CONTRACT REFEREN			6. REQU		A (825)	,		18. ESTIMATED TOTAL PRIC
A SREQ SEE BLK 16  B.APP CODE  A STED  11. AS OF DATE  A SUBMISSION  A STED  13. DATE OF SUBSEQUENT SUBMISSION  MCLBA (825-2)  Blk 4 - Contractor format is authorized.  Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.  RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.  RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil			10. FREQUEN	 CY		ION	14	**	(023)			
11. AS OF DATE  A  11. AS OF DATE  13. DATE OF SUBSEQUENT SUBMISSION  14. ADDRESSEE  A  BIR 4 - Contractor format is authorized.  Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration  RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.  RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil			1					DISTRIBUTION	_	b. COPIES		
A	B. APP CODE		11. AS OF DA	TE			1	a. ADDRESSEE				
Blk 4 - Contractor format is authorized.  Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration  RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.  RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil		Α			SORWISSION	_			Draft	Reg	Repro	
Blks 10 & 12 - RFDs shall be submitted to obtain authorization to deliver nonconforming material which does not meet prescribed configuration documentation.  RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.  RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil	16. REMARKS						MCI	LBA (825-2)	0	1	0	
RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.  RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil	Blk 4 - Contrac	ctor format is autl	horized.									I
RFDs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.  RFDs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil	Blks 10 & 12 - nonconforming documentation	RFDs shall be su material which o	abmitted does not i	to obtain authomeet prescribe	orization to delive ed configuration	er				 		
									<u> </u>	<u> </u>		
Distribution Statement A: Approved for public release; distribution is unlimited.	RFDs shall be mbmatcomcon	transmitted via E figmngmnt@matc	-Mail to com.usmo	the following a	address:							
	Distribution Sta	atement A: Appr	oved for	public release	e; distribution is u	ınlimited.						
											ļI	
									<u> </u>			
										<u> </u>		
										<del> </del>	<b></b>	
							<u> </u>					
							]		<u> </u>		1	
							-	<del>,</del> ,	<b>†</b>			'
												:
							<u> </u>		ļ			
									-	<u> </u>	<u> </u>	
							-			<del> </del>	<del> </del>	
										<u> </u>	-	
<b>├</b> ─────								/			$\vdash$	
										ĺ		
												1
										<u></u>		
										<u> </u>		
									+			j
									+-			
15. TOTAL							15. TOTA	u	0	1	0	
G. PREPARED BY H. DATE I. APPROVED BY J. DATE	G. PREPARED BY			H. DATE	I. APPROVED E	ВҮ				=	<u> </u>	:
1 Nun Rom 991115		,	.*		M/11.	DX	6-	$\dot{\lambda}$	do	11.1	ζ"	!
DD FORM 1423.1 AUC OS (FC)  POSMICUS EDITION MAY DE USED	DD F0024 4 553	4 440 00 750		1	rvari	i d	V		177	/(  -		'

## **CONTRACT DATA REQUIREMENTS LIST**

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for falling to comply with a collection of information if it does not display a currently valid OMB control number.

Please DU NOT RETURN your form to the above address. Sand completed form to the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

D. SYSTEM/ITEM SET-15 Antenna Transmitter Group  1. Data Item no.   2. Title of Data Item   3. Subtitle   4. Authority (Data Acquisition Document No.)   5. CONTRACT REFERENCE   6. REQUIRING OFFICE   MCLBA (825)   7. DD 250 REQ   9. DIST STATEMENT REQUIRED   10. FREQUENCY   12. DATE OF FIRST SUBMISSION   14. DISTRIBUTION   5. COPIES   6. ADDRESSEE   6. REQUIRING OFFICE   12. DATE OF FIRST SUBMISSION   14. DISTRIBUTION   6. ADDRESSEE   6. REQUIRING OFFICE   6. REQUIRING OFFICE					×	A412P4	C. CATEGORY:	Ī	B. EXHIBIT	ITEM NO.	A. CONTRACT LINE I
SET-15 Antenna Transmitter Group  1. Data Item No.   2. Title of Data Item   3. Subtitle    A 003   Engineering Change Proposal   Configuration Management    4. AUTHORITY (Data Acquisition Document No.)   5. CONTRACT REFERENCE   6. REQUIRING OFFICE   MCLBA (825)    7. DD 250 RED   9. DIST STATEMENT   10. FREQUENCY   12. DATE OF FIRST SUBMISSION   LT   ASREQ   SEE BLK 16				_		OTHER	NO TDPTM_	F CONTRACTION			D SYSTEM/ITEM
A 003 Engineering Change Proposal Configuration Management  4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80639B  5. CONTRACT REFERENCE SOW 3.3  MCLBA (825)  7. DD 250 REQ LT ASREQ 10. FREQUENCY ASREQ 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION  14. DISTRIBUTION  DISTRIBUTION  A ADDRESSEE  Draft Reg Kepro  MCLBA (825-2)					101011	I. CORTIO	HO.	L. CONTINCTOR	Group	enna Transmitter	SET-15 Ante
4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80639B  5. CONTRACT REFERENCE SOW 3.3  7. DD 250 RED LT ASREQ 10. FREQUENCY ASREQ 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION 14. DISTRIBUTION 14. DISTRIBUTION 15. COPIES 16. ADDRESSEE 17. Date of Subsequent SUBMISSION 16. REMARKS 16. REQUIRING OFFICE MCLBA (825)  17. DATE OF SUBSEQUENT SUBMISSION 18. REQUIRING OFFICE MCLBA (825)  18. REQUIRING OFFICE MCLBA (825)	17. PRICE GRO					3. SUBTITLE		<u>I</u>		2. TITLE OF DATA ITEM	1. DATA ITEM NO.
4. AUTHORITY (Data Acquisition Document No.) DI-CMAN-80639B  5. CONTRACT REFERENCE SOW 3.3  7. DD 250 REQ								~			
DI-CMAN-80639B  SOW 3.3  MCLBA (825)  7. DD 250 RED			nt	ageme					gineering		
7. DD 250 RED   9. DIST STATEMENT REQUIRED   10. FREQUENCY   12. DATE OF FIRST SUBMISSION   14. DISTRIBUTION	18. ESTIMATE TOTAL PRI		١	(825)	ľ			5. CONTRACT REFEREN			
LT REQUIRED ASREQ SEE BLK 16  B. APP CDDE  A 11. AS OF DATE 13. DATE OF SUBSEQUENT SUBMISSION  16. REMARKS  BLK 4 - Contractor format is authorized.				(025)		SION		L SA	10. FREQUENC		
A SUBMISSION CLBA (825-2) 0 1 0  Blk 4 - Contractor format is authorized.			b. COPIES		14. DISTINGUITOR				1	REQUIRED	LT
A Reg Reg Nepro  16. REMARKS MCLBA (825-2) 0 1 0  Blk 4 - Contractor format is authorized.		al			a. ADDRESSEE			TE	11. AS OF DAT		B. APP CODE
Blk 4 - Contractor format is authorized.		Kepro	Reg	Draft			SUBMISSION			A	
		0	1	0	MCLBA (825-2)						16. REMARKS
									norized.	ctor format is autl	Blk 4 - Contrac
Blks 10 & 12 - ECPs shall be submitted for all proposed changes which permanently affect the baseline of a configuration item. MIL-STD-973, Appendix D applies.						1	ed changes which . MIL-STD-973,	for all propose iguration item	bmitted for a confi	ECPs shall be suffect the baseline options.	Blks 10 & 12 - permanently af Appendix D ar
ECPs will be reviewed and disposition determined within 30 calendar days upon receipt by the Government.											
ECPs shall be transmitted via E-Mail to the following address: mbmatcomconfigmngmnt@matcom.usmc.mil							address:	the following a c.mil	Mail to toom.usmo	transmitted via E- figmngmnt@mate	ECPs shall be mbmatcomcon
Distribution Statement A: Approved for public release; distribution is unlimited.						unlimited.	e; distribution is	public release	oved for	atement A: Appr	Distribution St
				<u> </u>							
				<u> </u>	10 10 1 <u>0</u> 10						
				<b></b> _							
					—, ·						
				ļ							
				<b> </b> -							
				<del> </del>							
					73.74						
				ļ							
				<b>.</b>							
				<b></b>							
					·						
				<u> </u>							
		$\vdash$		-							
					- 11						
				<del> </del>							
15. TOTAL		0			15. TOTAL					<u></u>	
G. PREPARED BY  H. DATE  I. APPROVED BY  J. DATE			E	J. DAT		BY	I. APPROVED	H. DATE		•	G. PREPARED BY
With Sin 991115		~	1115	99	Anin	h K	1/1/1		, /	,	. 3
DD FORM 1423-1, AUG 96 (EG)  PREVIOUS EDITION MAY BE USED.  Page of Pages					VV	E LISED	REVIOUS EDITION MAY D			1. Alig 98 (EC)	DD FORM 1423